

IN THE CLAIMS:

1. (Currently Amended) A vaginal use composition for treating a patient suffering from abnormally high acidity in the vagina, wherein the vaginal pH value is lower than 4.0, the said composition consisting essentially of:

a. An effective amount of all of the following amino acids and / or physiologically acceptable salts thereof: glutamic acid, aspartic acid, isoleucine, phenylalanine and ~~praline~~ proline;

b. An effective amount of anti-fungi drugs;

c. A sufficient amount of pharmaceutically acceptable acid or alkali, which results in a pH of the composition from 4.0-8.0;

d. One or more pharmaceutical carriers.

2. (Original) The composition according to Claim 1, wherein the said composition further comprising one or more of the following amino acids and/or physiologically acceptable salts thereof: valine, leucine, threonine.

3. (Original) The composition according to Claim 2, wherein the said composition further comprising one or more of the following amino acids and/or physiologically acceptable salts thereof: methionine, tyrosine, cysteine, alanine, glycine, serine, lysine, glutamine, asparagine, arginine, tryptophane and histidine.

4. (Original) The composition according to Claim 1, wherein the said composition comprising: sodium salt of glutamic acid, sodium salt of aspartic acid, sodium salts of isoleucine, sodium salt of phenylalanine, sodium salt of proline.

5. (Original) The composition according to any one of Claims 1 to 4, wherein the said physiologically acceptable salts of amino acids are sodium salt, potassium salt, calcium salt, or magnesium salt of amino acids.
6. (Original) The composition according to any one of Claims 1 to 4, wherein the said composition is for treating vaginitis associated with abnormally high vaginal acidity of a vaginal pH value less than 4.0.
7. (Original) The composition according to any one of Claims 1 to 4, where the said composition is for treating fungal vaginitis associated with abnormally high vaginal acidity of a vaginal pH value less than 4.0.
8. (Original) The composition according to any one of Claims 1 to 4, wherein the said composition is in the form of viscous gels, lotion, tablets, effervescent tablets, suppositories, emulsion, ointments or micro-capsules.
9. (Original) The composition according to Claim 8, wherein when the said composition is in the form of viscous gel, lotion or emulsion, the total amount of amino acids and the physiologically acceptable salts thereof is in the range of 30-350mmol/L.
10. (Original) The composition according to Claim 8, wherein the said viscous base is Xanthan gum.
11. (Original) The composition according to Claim 9, wherein the total amount of amino acids and the physiologically acceptable salts thereof is in the range of 80-200mmol/L.

12. (Original) The composition according to Claim 1, wherein the said anti-fungi drug is selected from the following group: Fluconazole, Terconazole, Tioconazole, Butoconazole, Ketoconazole, Itraconazole, Econazole, Miconazole, Cannitracin.

13. (Original) The composition according to Claim 12, wherein the said anti-fungi drug is selected from the following group: Fluconazole, Terconazole, Tioconazole.